

Level 1 Gambling Counselor Training

Council on Compulsive Gambling of Pennsylvania, Inc. Josh Ercole, Executive Director

Jody Bechtold Consultant to CCGP Gregory Krausz Consultant to CCGP Lori Rugle, Ph.D., Consultant to CCGP

Council on Compulsive Gambling of Pennsylvania

- CCGP is a non-profit advocacy organization whose purpose is to assist individuals in Pennsylvania who are experiencing gambling related issues
- We have operated the PA problem gambling Helpline since 1997, with funding from The Pennsylvania Lottery, our Casino Corporate Partners and DDAP
- We provide training programs, speakers, workshops, prevention and clinical training programs to community groups, professionals and treatment organizations



1-800-GAMBLER® www.pacouncil.com



Empathy

Rarely can a response make something better... ...what makes something better is <u>connection</u>.

Council on Compulsive Gambling of Pennsylvania, Inc. • 1-800-GAMBLER®

Expectations for the training...

- Attend EVERY session (for the whole time!)
- Participate in group/breakout discussions
- Please stay muted unless in sessions/asking question
- Cameras ON AT ALL TIMES
- Complete all activities & quiz/surveys
- Share info about what you learn with colleagues/friends/family
- Have Fun!

Following the training, you will...

- Have a dramatically increased knowledge about problem and disordered gambling
- Do nothing at all (we hope not!)
- Become a Referral on the PA Helpline
 - Send your resume, certificate of liability insurance and contact info to CCGP
- Become certified in PA
 - PA Certification Board
 - Endorsement Certificate of Competency in Problem Gambling
- Become internationally Certified
 - International Problem Gambling and Gaming Certification Organization (IPGGC)
 - Internationally Certified Gambling Counselor (ICGC-1)

 - 4 hours of participation on monthly BACC clinical calls
 100 hours of experience working with gambling clients
 Exam (study guide will be provided at end of 30 hour training)
- Enter into a grant agreement with DDAP
 - Sole Practitioner or Agency (& staff)



How would you define gambling?

Council on Compulsive Gambling of Pennsylvania, Inc. • 1-800-GAMBLER®

What is Gambling?

Dictionary.com

The activity or practice of playing a <u>same of chance</u> or taking a chance, for money or some other stake, where there is a risk of losing that stake

Gambler's Anonymous

"Any betting or wagering, for self or for others, whether for money or not, no matter how slight or insignificant, where the outcome is uncertain or depends upon chance or "skill", constitutes gambling."

(Gambler 's Anonymous, March 1994, Handbook)

Problem Gambling Continuum Social gambling At Risk Gambling Gambling Disorder Severe Moderate Severe

Problem Gambling Prevalence

- •Estimates indicate approximately 1-3% of the adult population of the US
- •This represents millions people in the US & hundreds of thousands in PA



DSM-5

DSM-5 released in May 2013

Council on Compulsive Gambling of Pennsylvania, Inc. $\, \bullet \, \, \, 1\text{-800-GAMBLER}^{\otimes} \,$

DSM-5

- Moved to "Substance-Related Disorders" which was renamed <u>Substance Related and Addictive Disorders</u>
- So far, this is the only "behavioral" addiction included (hypersexual disorder in paraphilias; binge eating disorder in feeding and eating disorders)
- Renamed: Gambling Disorder

REMOVED one criteria from DSM-IV:

Have you committed illegal acts such as forgery, fraud, theft, or embezzlement to finance gambling

DSM-5

GAMBLING DISORDER

Progressive, persistent and recurrent problematic gambling behavior leading to clinically significant impairment or distress, as indicated by the individual exhibiting four (or more) of the following criteria in a 12 month period

1	
_	

Gambling Disorder DSM-5 Diagnostic			
 Preoccupation 	•Loss of Control		
•Tolerance	•Risked Relationship		
•Withdrawal	•Chasing		
•Escape	•Bailout		
•Lying			
Gambling Disorder: DSM-5 Diagnostic			
• Gambling Behavior is no	ot better explained by way of		
a manic episode.			
•Scores: Gambling Disorder -	4 or more of the 9 criteria		
Snoo	ifiarc		
• Episodic:	ifiers	-	
 Met criteria at more than o subsiding in between for se 	one time point with symptoms everal months		
Persistent Continuous symptoms for	multiple years		
• Early Remission: no crite	eria for 3-12 months		
• Sustained Remission: no months	criteria for 12 or more		
• Severity			
Mild: 4-5 CriteriaModerate: 6-7 CriteriaSevere: 8-9 Criteria			

Subtypes Escape Action • Early Onset • Later Onset Narcissistic • Machine Games (Slots/VP) • Games of Skill • Relief/Dissociation • Competition/Power • No Winning Phase • Winning Phase • Gender Bias? • More likely to be male (Lesieur, 1992)

Subtypes:	The I	Pat	hways	Mod	el
(Rlaszczyn)	ki & Nower	2002 / N	ower et al. 2013)		

Three Pathways - All share the same:

- 1. Access & Availability
- 2. Classical & Operant Conditioning
- 3. Habituation
- 4. Chasing

Subtypes: The Pathways Model

Pathway 1: Behaviorally Conditioned

- Gambling often linked to learning & environment
- · No pre-existing pathology
- May have early big wins, intermittent wins, enjoy excitement
- · Factors combine to form a gambling habit
- Cognitive distortion contribute to habitual pattern
- Anxiety, depression, substance use likely secondary to gambling consequences

_	
_	
_	
_	
_	
_	
_	
_	
_	
-	
_	
_	
_	
_	
_	
_	
_	
_	

Subtypes: The Pathways Model

Pathway 2: Psychologically Vulnerable

- Proposes that some individuals are emotionally vulnerable to problem gambling due to pre-existing psychological problems such as difficulty managing stress or dealing with crisis situation
- · Gambling viewed as way to escape or potential solution
- Poor coping and problem solving due to negative family background experiences, inadequate role models or past trauma
- May suffer from anxiety, depression, become isolated/withdrawn
- Gambling may instill a sense of hope, increasing desire to gamble.

Subtypes: The Pathways Model

Pathway 3: Antisocial/Impulsive

- Predisposing biological factors that contribute to problem gambling
- Likely history of wide range of impulsive behaviors from early age

May have difficulties concentrating and learning May have history of attention deficit disorder May be overactive with a need for a lot of stimulation May do things on impulse without considering consequences

 The above behaviors point to biological disorders related to neurological deficits



Progression of Gambling Disorder

Council on Compulsive Gambling of Pennsylvania, Inc. • $1\text{-}800\text{-}\mathsf{GAMBLER}^{\otimes}$

_	,	
/		



Factors A	Affecting	Progression
		6

- •Related to the Activity
- External Factors
- Internal Factors

Risk Factors - Limited Understanding

- Independence of Turns
- Chance vs. Skill
- Illusions of Control
- Randomness

Research by Dr. Robert Ladouceur

Inc	lepend	enc	e of	T	urns:
	Co	in 1	oss		



Chance vs. Skil	vs. Skill	ice v	nan	Ch
-----------------	-----------	-------	-----	----

- "What is the definition of skill?"
- •"The more you practice, the better you will be"
- "What is the definition of chance?"
- "All unforeseen or unpredictable events over which a person has no control."

Recognizing Traps – Illusions of Control

- •Slot Machines Illusions
- Lottery Illusions
- Bingo Illusions
- Blackjack Illusions
- Roulette Illusions
- Horse Racing Illusions

•	
•	
•	
•	

Understanding "Randomness" Which lottery ticket do you want? 1 2 3 4 5 6 11 4 7 28 9 32



Do More People Drink Alcohol or Gamble?

Council on Compulsive Gambling of Pennsylvania, Inc. • 1-800-GAMBLER®

"Past Year" Gambling is More Prevalent than Drinking any Alcohol

- All Adults
 - Past Year Drinking = 60%
 - Past Year Gambling = 75%
- Males
 - Past Year Drinking = 62%
 - Past Year Gambling = 81%
- Females
 - Past Year Drinking = 57%
 - Past Year Gambling = 70%

Barnes et al, 2013

Comparison to Substance Use

Past Year Use/Participation From U.S. Survey

(Barnes et al, 2015)

•Gambling 79.6%

•Alcohol 67.6%

•Smoked Tobacco 28.7%

•Marijuana 11.2%

Disorder Prevalence Comparison

Alcohol Use Disorder	6.4%
Gambling (Welte et al, 2015)	1.9%
Cannabis	1.6%
Opioid	.71%
Cocaine	.34%

2014 National Survey on Drug Use & Heal

Gambling Disorder: Comparison to Substance Abuse

Similarities

- Preoccupation & loss of control
- Both are often progressive
- Denial: problem resides outside of the person
- Continued behavior despite negative consequences
- Tolerance & withdrawal
- Self help groups & family involvement

Gambling Disorder: Comparison to Substance Abuse

Differences

- Unpredictable outcome
- Gambling is not self-limiting
- No biological test / easier to hide
- More intense sense of shame & guilt
- Intensity of family anger
- · Less public awareness about gambling
- More widespread acceptance of gambling

Consequences of Problem Gambling

- Poor health
- Mental health issues

Depression / Anxiety / Etc.

- Potential Alcohol & Drug dependence
- Family arguments & high divorce rates
- Legal conflicts
- Bankruptcy
- Job loss & unemployment
- Suicide (60% ideation / 20% attempt)

(Kessler et al., 2008; Morasco et al., 2006; NORC, 1999; Rush et al., 2008)



Self-Help Meeting/ Support Group Activity

www.pacouncil.com/ccgp30

Council on Compulsive Gambling of Pennsylvania, Inc. • $1\text{-}800\text{-}\mathsf{GAMBLER}^{\otimes}$

1	2



Gambling Counselor Training Week 1 – Session 2

Council on Compulsive Gambling of Pennsylvania, Inc.
Josh Ercole, Executive Director

Jody Bechtold Consultant to CCGP Gregory Krausz Consultant to CCGP Lori Rugle, Ph.D., Consultant to CCGP

PROBLE!	M GAMB	LING	IN I	HE	U.S.
A	Addressing	g the Is	sue		

- 1957 Gamblers Anonymous Begins in California
- 1960 GamAnon Begins in New York
- 1972 First Professional Treatment Program-V.A.
 - -- National Council on Problem Gambling
- 1979 First State Funded Treatment Program Maryland
- 1980 American Psychiatric Assoc. DSM III
- 1984 NCPG begins Counselor Certification process
- 1994 A.P.A. DSM-IV

PROBLEM GAMBLING IN THE U.S. Addressing the Issue

- 2000 National Association of Administrators for Disordered Gambling Services (NAADGS)
- 2001 First year more than half of US states offered Problem Gambling funding – 26 states
- As of 2023, 42 of 50 US States plus DC provide some kind of funding for Problem Gambling
- Annual total of U.S. State Problem Gambling Spending - \$134M (PA ~ 6.8M)



Treatment

Gambling Treatment Availability: 2025

Treatment resources are quite limited

- Very Few Problem Gambling specific residential treatment programs in U.S.
 - (PA*, LA, MN, AZ, OR, FL, MI, and V.A.-OH)
- There are currently very few gambling treatment programs for veterans/active military

Self-Help resources limited

- Approx. 60,000 AA meeting nationwide
- Approx. 1,200 GA meetings nationally
- Online options have grown since COVID

Pennsylvania Problem Gambling Helpline

1-800-GAMBLER

Call • Chat • Text

1	Δ





Prevention

"A proactive process that promotes the well-being of people
and empowers an individual, group, or community
to create and reinforce healthy lifestyles and behaviors
to meet the challenges, events and transitions of life"

(Substance Abuse & Mental Health Services Administration)

Approach

Programs have generally addressed:

- Risk Factors
- Protective Factors
- Based on obvious similarities between problem gambling and other problem behaviors



Customer Assistance Program Training: 2025

Presented By
Josh Ercole
Council on Compulsive Gambling of Pennsylvania, Inc.



Helpline 1-800-GAMBLER

Self-Exclusion Programs


The Office of Compulsive and Problem Gambling of the Pennsylvania Gaming Control Board has established and maintains the self-exclusion programs


Patrons may select to ban themselves, VOLUNTARILY for 1 year, 5 years or Lifetime

Features include:

- Removal from mailing data bases
- No check cashing / credit / player club membership
- Fines / Possible Arrest & Citation









Problem Gambling Screens and Assessments

Council on Compulsive Gambling of Pennsylvania, Inc. • $1\text{-}800\text{-}\mathsf{GAMBLER}^{\otimes}$

Problem Gambling Screening Tools

- Brief Screen "Lie-Bet"
 - NODS PERC and NODS CLIP
 - Brief BioSocial Gambling Screen (BBGS)
- South Oaks Gambling Screen (SOGS)
- SOGS-RA Adolescent Screen
- National Opinion Research Center DSM Screen for Problem Gambling (NODS)
- G.A. / Gam-Anon Twenty Questions

Why Screen for Gambling Disorder?

• High risk of gambling problems among individuals diagnosed with substance use and mental health disorders

(Himelhoch et al, 2015; Ledgerwood et al, 2002) (Rush et al, 2008)

- Not addressing gambling issues
 - Decreases treatment effectiveness
 - · Adds to treatment costs
- Early intervention and treatment work

_			
_			
_			
_			
_			
_			
_			
_			
_			
-			
-			
-			
-			
-			
_			



SBIRT

Screening, Brief Intervention, Referral to Treatment

- Integrates alcohol & drug discussion into clinical workflow
- Education/prevention
- Increased curiosity/conversation
- Uses Motivational Interviewing approach
- Referral to treatment when indicated

Introducing....SBIRT for Gambling!

Application of a simple test to determine if individual is at risk for, or may have, a gambling disorder

Explanation of screening results, information on responsible gambling, assessment of readiness to

Referral to Treatment Individuals with positive results on a screening may be referred to resources for further assessment and/or counseling or self-

help resources

It is important to remember that a positive screen does not constitute a diagnosis, even if the screen suggests a high probability of problematic gambling behavior.

change, advice on

change

Things to consider with Brief Screens	
Developed to screen for most severe gambling problems Issues happen on a continuum	
No definition of what 'gambling' is/could be List types of gambling	
Use Diagnostic Criteria Could be off putting – words matter!	
How questions are asked is vital Could be seen as leading, or close off future discussion	
	<u>-</u>
]
FIRST DEFINE GAMBLING	-
"The following questions are about gambling.	
By gambling, we mean when you bet or risk	
money or something of value so that you can	
hopefully win or gain money or something else of value. Examples may include buying lottery	
tickets/scratch-offs, gambling at a casino,	
playing bingo, shooting dice, betting on sports,	
or playing in card games for money"	
Determine Frequency	
During the past 12 months how	
many times have you gambled?	

Assess for Potential Problems

- Have you ever felt restless, on edge or irritable when trying to stop or cut down on gambling?
- Have you tried to keep it a secret, just how much you have gambled/been gambling from your family or friends?
- Have you had to ask other people for money to help you deal with the financial problems that had been caused by gambling?

Assess for Potential Problems

- Have you ever gambled to escape from stress or negative feelings?
- Have you ever felt the need to gamble more money to get the same excitement?
- Did you ever find yourself focusing on trying to win back money that you lost?
- Has your gambling ever caused problems in personal relationships or with work?

Ways to Respond

- If someone answers "yes" to any of these questions, further discussion and a more in-depth assessment may be needed
- Ensure the individual understands that the discussion/responses will be kept confidential
- Share information about available resources and recovery options

_			
-			
_			
_			
_			
-			
_			
_			
-			
-			
_			
_			
-			
-			
_			
_			
-			
-			
_			
_	 		

Brief Intervention

(Petry, 2005)

- Review levels of gambling and gambling disorder
- · Dispel myths about gambling
- Risk factors for problem gambling/gambling disorder
- Four steps to reduce risk/harm for gambling problems
 - Limit money
 - Limit time
 - Don't view gambling as way to make money
 - Spend time on other recreational activities
- Keep it Brief Less than 10 minutes!!!

Referral to Treatment

- •800-GAMBLER®
- Council on Compulsive Gambling of PA
- Department of Drug & Alcohol Programs
 - Treatment Providers
 - Counseling Agencies
- Self-Help / Mutual Aid meeting info

Pennsylvania Problem Gambling Helpline

1-800-GAMBLER

Call • Chat • Text

_	
	•





Assessments

Council on Compulsive Gambling of Pennsylvania, Inc. • 1-800-GAMBLER®

Assessment Tasks and Goals

- Engage and Motivate
- Convey Understanding of Gambling Problems
- Crisis Intervention
- Make Diagnoses
- Assess Severity and Strengths
- Provide Hope and Preliminary Plan

Perspective Change: Disordered Gambling Integration (DiGIn)

- Addressing gambling/gambling problems for individuals presenting with a primary concern of a substance use or mental health disorder is not just about making a diagnosis or finding cases of gambling disorder
- Rather, this approach involves assuring that the impact of gambling on mental health and substance use recovery is an ongoing topic of conversation in treatment, recovery and prevention settings

Integrated Assessment

- Incorporating into existing assessments
- How might you ask questions related to gambling in each of these sections of your intake or assessment?
 - Medical
 - Financial
 - · Family History
 - Substance Use
 - Psychiatric
 - Recreation

Adam

28 years old Male Caucasian Married / No Children

Sports/online gambling & gaming Gambling since middle school Family of gamblers

Recognizes problem Willing to get help No counselors nearby GA meetings local / phone meetings Wife (Erin) is very supportive

Bill

59 years old Male Caucasian Single / No Children

Gambling for many years Casino table games & Horse Racing Moved back and forth from PA to NV

Works as actuary - volunteers for youth football league Has borrowed from friends Recognizes problem, but could be worse Facing legal issues (embezzlement) Filing for bankruptcy



Carol



70 years old Female African-American Divorced (12yrs) / 2 Adult Children

Slot machines / Bingo / 'Social' Games Enjoys spending time with friends Enjoys exercising when not gambling

Baptist (faith is very important to her) Currently receiving Tx for depression No alcohol/substance use Concerned about finances Forgets problems when playing slots

Diego

35 years old Male Latino Married / 2 teenage children

Army veteran (10 years of service) Slots / Scratch-off tickets Family is very important to him

Does not recognize problem Wife (Flora) & kids applying pressure Trauma as a result of time in military Feels he should be able to spend money as he wishes - does not want to stop gambling





Activity: Applying DSM-5 Criteria

Council on Compulsive Gambling of Pennsylvania, Inc. $\, \bullet \, \, \, 1\text{-800-GAMBLER}^{\otimes} \,$

	•	•	•		
L				+-	00
			rı	ТΙ	
		•			\sim

- Keep the client alive
- Keep the client in treatment
- What else?

Engaging Problem Gambling Clients

- Be familiar with common crises
- Be ready with problem-solving strategies that emphasize engagement in the treatment process:
 - Financial conflicts "I'm losing my house..."
 - Family conflicts "My spouse is leaving me"
 - Mood stabilization "I can't go on like this anymore..."
 - Vocational conflicts "I'm going to lose my job"
 - Legal conflicts "I'm about to go to jail..."
- "I hear what you are saying, and we feel confident that we can help you, we know what to do..."

Other Things to Consider • Family and Cultural Traditions • Severity

- Current Realities
- Progression
- Costs
- Psychosocial History
- Motivation Cycle / Stage Identification
- ???

Change Planning

- What would you like to be different
- What could you do to get started?
- If the first step is successful, then what?
- Who could you ask for support?

Menu of Options

- Gambler's Anonymous or Gam-Anon
- Brief Interventions
- Limited Gambling/Harm Reduction
- Abstinence
- Self-Exclusion
- Problem Gambling Specific Treatment

	_
	_



Treatment Planning

Council on Compulsive Gambling of Pennsylvania, Inc. • $1\text{-}800\text{-}\mathsf{GAMBLER}^{\otimes}$

Potential Treatment Options

Psychodynamic

Behavioral and Cognitive Behavioral

Motivational and Brief Interventions

Transtheoretical Model

Stages of Change

Pharmacotherapy

Marital/family

Financial Counseling

Mindfulness Based



Gambling Counselor Training Week 2 – Session 3

Council on Compulsive Gambling of Pennsylvania, Inc.
Josh Ercole, Executive Director

Jody Bechtold Consultant to CCGP Gregory Krausz Consultant to CCGP Lori Rugle, Ph.D., Consultant to CCGP

Structuring the Treatment of Gambling Disorder

- Goals for Clients
 - To structure the process of recovery
 - To enhance motivation and commitment to recovery, health and well-being
 - To increase the client's understanding of the role and meaning of gambling in his/her life
 - To develop more effective coping skills and affect management

Structuring the Treatment of Gambling Disorder

- Goals for Clients
 - To increase honesty with self and others
 - To encourage self-awareness and curiosity
 - To facilitate generalization of learning outside of therapy
 - To emphasize the need to do as well as talk
 - To enhance self-esteem through honest effort

Goals

- Summarize
- What would you like to do now?
- Menu of Options
 - Abstinence
 - Limited Gambling
 - Harm Reduction
 - Monitor/Functional Analysis
 - Workbook
 - Counseling
 - Family Involvement
 - Etc
- Plan

_		



Treatment Plan Structure Activity

Council on Compulsive Gambling of Pennsylvania, Inc. • $1\text{-}800\text{-}\mathsf{GAMBLER}^{\otimes}$

- The basic principle of cognitive behavioral therapy for pathological gambling is to identify negative thoughts, cognitive distortions, and erroneous perceptions about gambling that are responsible for continued gambling
- www.ncbi.nlm.nih.gov/pmc/articles/PMC3000184/esponsible for continued gambling

Cognitive Behavioral Approaches

- Irrational Thoughts
 - Illusions of Control
 - Ladouceur et al., 1998; Petry, 2000
 - Irrational and Distorted Thinking Breen et al., 1999; Ladouceur & Walker, 2000
 - Superstitious Beliefs Tonetto et al., 1997;
 - Interpretive Biases
 - Attribution, Gambler's Fallacy, Near Misses
- Structured Interventions/Assignments
 - Insight to Action Connection
- Coping Skills and Relapse Prevention Sylvain et al., 1997; Petry, 2000

Treatment Program (Ladouceur)

- Pretreatment Assessment
- Session 1: Motivational Enhancement
- Sessions 2-3: Behavioral Interventions
- Sessions 4-10: Cognitive Interventions
- Sessions 11-12: Relapse Prevention
- Session 13: Post-treatment Assessment
- Session 14 Follow-up Assessment

Problem Gambling Behavioral Chain Thoughts associated with urges and temptations to gamble Exposure going to a gambling verue First bet "the first \$20" Winnings Chasing losses, need to recover the lost money or forced to leave

Cognitive Distortions in Problem Gamblers

- Magnified Gambling Skill
- Talismanic Superstitions
- Behavioral Superstitions
- Cognitive Superstitions
- Attribution Errors

Cognitive Distortions in Problem Gamblers ◆ Gambler's Fallacy Anthropomorphism Selective Memory Over-interpretation of Cues Aligning with luck Cognitive Distortions in Problem Gamblers ♦ Luck as a variable Luck as a Trait Luck as a Contagion Probability Biases Illusory Correlation **Irrational Ideas about Gambling Held by Some Gamblers** Gambling is an easy way to earn money My gambling is under control with some effort • I do not have to quit; I can just cut down on my gambling I can win it back

• I have a system to beat the odds

• I'm not stealing...I'm just BORROWING

• Gambling isn't the problem...Money is the problem

• The more money I have to gamble with the more I can win

[Adapted from "In the Shadow of Chance," and Internet book by Julian I. Taber, 1998.]

Techniques

- Cognitive Restructuring
- Activity Scheduling
- Graded exposure
- Successive Approximation
- Mindfulness Meditation
- Skills Training
- Problem Solving
- Relaxation Breathing Training
- http://cogbtherapy.com/cognitive-behavioral-therapy-exercises/

Identification of Triggers

Trigger Timeline

Gets list of school supplies for kids

Gets letter Argues with Food stamps

Ex over bills

Hours cut At work

Paycheck Urge

Friday

Monday Tuesday Wednesday Thursday Evening

Friday Morning Afternoon

CCCIP
COUNCIL ON COMPULSIVE GAMBLING OF PENNSYLVANIA INC.

Distorted Thoughts

(apply to participant cases)

Council on Compulsive Gambling of Pennsylvania, Inc. • 1-800-GAMBLER®

Motivating Problem Gamblers • Everyone is motivated, but not everyone is aware of their motivation

- Trapped by Ambivalence
- Conflict between Indulgence & Restraint

Motivational Interviewing

- Client Matching
 - Nothing Works for Everyone
 - Counselors must be comfortable with this or they may feel frustrated with a slow paced, ineffectual approach

Mindful Motivational Enhancement Role of the Therapist

- Active
- Directive
- Communicate Understanding of Gambling Problem
- Acknowledge Gambler's Ambivalence
- Non-Shaming Discrimination
- Establishing environment of trust and honesty

٠			

OARS

- Open Ended Questions
- Affirmations
- Reflections
- Summaries



Motivational Interviewing Activity

Council on Compulsive Gambling of Pennsylvania, Inc. • $1\text{-}800\text{-}\text{GAMBLER}^{\otimes}$

Transtheoretical Model

- Stages of Change
 - Precontemplation
 - Contemplation
 - Preparation
 - Action
 - Maintenance
 - Termination?
- Multiple Addictions & Stages of Change

\sim	_

Engaging Problem Gambling Clients

- What concrete help (menu of options) do you have for them that matches motivational level to address common problems?
 - Help to sort out and manage emotions
 - Structure problem solving
 - Budget and Pressure relief, CCCS
 - Help family to understand, cope..
 - Local attorneys, etc.
- What few items of basic client education can you offer to help each client better understand this is a disorder and help is available?

Engaging Problem Gambling Clients

- Speak to the client in specific terms they can relate to directly. Begin to bring structure to chaos.
- \blacksquare Simple things can bring structure

Readiness Rulers

How Important is it...How confident are you...How ready are you... $\label{eq:confident}$

1	2	3	4	5	6	7	8	9	10
Not At All									Very Much

Motivational Traps

- Confrontation-Denial Trap
 - Counselor through best intentions presents information to move client to awareness of their gambling problem and its consequences and prescribes course of action too quickly
 - Client response: "My problem isn't that bad and I don't really need to do all that"
 - Natural result of client's ambivalence.
 - If counselor argues for one side of the conflict, client will take opposing side

,	
,	
,	
,	
,	
,	
,	

Motivational Traps

- When confronted more forcefully, client can argue themselves out of any change at all in order to "win" therapy (win-lose therapy)
- Confrontation Denial Trap Solutions
 - Listen
 - Empathic reflection
 - Elicit self-motivating statements

Motivational Traps

- Premature Focus Trap
 - Focusing on gambling as the problem while the client's focus is on other issues
- The Blaming Trap
 - Client's sensitivity to being "blamed"

Motivational Traps

- Labeling Trap
 - Labels can carry stigma
 - Can create power struggle Client can feel trapped
 - Can lead to confrontation-denial trap
- Labeling Trap Solutions
 - De-emphasize label
 - If client raises the issue can respond with reflection and reframing

Difficult Clients: Styles of Client Resistance

- Arguing
- Interrupting
- Denying
 - Blaming, Disagreeing, Excusing, Claiming impunity, Minimizing, Reluctance, Unwillingness to change, Pessimism
- Ignoring
 - Misdirection, Inattention, Non-answer, Not responding

Ask offer ask

- What bits of education/information would you offer to?
- What would motivate him to come in for another session?
- Ask How helpful was this session or how well did this session meet your needs?
- How well did I listen to your needs and concerns?
- How well did I respond to your concerns and questions?
- If you would like to have another appointment, how many sessions do you expect would be best?

Identifying Gambling Urges and Cravings

- Need to develop awareness of gambling thoughts and urges
- Often not recognized prior to gambling episode
- Can be experienced as a range of thoughts that at first may seem unrelated to gambling

-	
_	
-	

Coping with Urges and Cravings

- Avoiding High Risk Situations
 - Identify Triggers and Risk Factors
 - Which can be avoided?
- Distracting Activity/Redirect Attention
 - Simple, engaging activity (mental calculations, counting, exercise, hobby, etc.)
 - Delay acting on urge

Coping with Urges and Cravings

- Urge surf
 - Relaxation Techniques
 - Acceptance
 - Study the craving, changes, ebbs and flows, etc.

Coping with Urges and Cravings

- Challenge and change thoughts
 - Play through to negative consequences
 - Recall benefits of recovery
 - Recall moment of clarity, un-ambivalent motivation
 - Recall list of rational thoughts

Coping with Urges and Cravings
 Challenge and change your thoughts Imagery of craving (devil, degenerate, etc.)
Tally also and according
– Talk about craving
– Write about craving
– Talk to craving - what are you trying to tell me?
. , ,
Relapse, Recycle, Recovery
• Fantasy Life/Dream World
Irrational Thinking
Continued Action/Escape Thinking
Money/Debt
Risky Occupations
Poor Social Skills Character of Marketines
Shame and Humiliation
Relapse, Recycle, Recovery
Relationship Conflict
Lack of Support System/Isolation
Boredom
Dishonesty
• Defenses
Legal Problems/Illegal Activities
Comorbidity

Harm Reduction and **Problem Gambling**

- What is Harm Reduction?
- Is harm reduction for problem gambling comparable to harm reduction for alcohol and drugs?

Harm Reduction and **Problem Gambling: Basic Principles**

• Harm reduction is a public health alternative to the moral/criminal and disease models of addiction

Harm Reduction & Gambling Treatment

SUBSTANCE ABUSE

- mind altering
- A recovering addict can avoid all forms of substance abuse
- Recovering addicts can avoid people, places and things

PROBLEM GAMBLING

- Any use of a substance is Not all forms of gambling put the gambler in action
 - Recovering gamblers cannot avoid ALL forms of
 - Recovering gamblers cannot avoid people, places and things in an actively gambling culture

Harm Reduction & Gambling: What it isn't

- H.R. isn't controlled gambling
- H.R. isn't a replacement or alternative for abstinence
- H.R. isn't for use with only one age group or gender
- H.R. isn't only for use when all else fails.

Harm Reduction & Gambling: What it is

- Enters into a supportive relationship
- Non-blaming
- Gives options
- Accepts their choices
- Gains awareness
- Educates around potential harm or risk

HARM REDUCTION IN PRACTICE I

- Client Takes Responsibility of Choice
- Examines Options and Chooses Plan for Recovery
 - Abstinence Plans with Structured Support
 - Abstinence Plans without Structured Support
 - Risk Reduction with Structured Support
 - Risk Reduction without Structured Support
- Counselor supports and recommends,
 - guides use of clients choice FEEDBACK

-			
-			
-			
-			
-			
-			
-			
-			
-			
_			
-			
_			
_			
-			
-			
-			
-			
-			
-			

Harm Reduction Limited Gambling vs. Abstinence

• Assessment Goals

- To explain the process of counseling
- To collaborate with client in defining what is problematic in client's life
- To facilitate exploration, clarification, and enhancement of client's motivation
- To define mutually acceptable counseling goals
- To establish process and priorities for meeting counseling

Harm Reduction Limited Gambling vs. Abstinence

Assessment

- Conducted in partnership
- What does client consider most serious problem(s)
- What are problems that client may be less focused on or aware of?
- What does or would family or friends consider to be a problem?
- Which problems are most threatening to client's life or lifestyle?



Gambling Counselor Training Week 2 – Session 4

Council on Compulsive Gambling of Pennsylvania, Inc.
Josh Ercole, Executive Director

Jody Bechtold Consultant to CCGP Gregory Krausz Consultant to CCGP

Lori Rugle, Ph.D., Consultant to CCGP

1	
4	J

Behavioral Approaches

- ◆Exposure-extinction strategies
 - Imaginal desensitization more effective than other exposure techniques over average of 5 years (Bloszczynski, McConaghy et al., 1991)
 - Gambling imagery paired with relaxation rather than arousal
 - Playing through to consequences
 - Repetition

Imaginal Desensitization + MI (Jon Grant)

- ♦Session 1: MI
- ◆Session 2: Finances
- ♦ Session 3: Behavioral Interventions
- ◆Session 4: Imaginal Exposure
- ◆Session 5: Cognitive Tx
- ◆Session 6: Relapse Prevention
- ◆Session 7: Family Session (Optional)

Imaginal Exposure

Client Script: Describe situation where you typically would engage in gambling

- Describe exactly what you imagine happening step-by-step and your urge to gamble
- Describe as many details about experience as possible, including what you imagined/saw, heard, smelled, etc.

Imaginal Exposure

- If relevant, would you be using alcoholic, drugs, smoking, etc.
- What physical symptoms are you aware of (heart rate, sweating)
- What negative consequences do you anticipate from gambling
- Imagine coping with the urge, and resisting, gambling
- Consider the positive consequences of not gambling

What if the exposure triggers my urge and I end up slipping and engaging in impulsive behavior?

- Goal of exercise is to activate urges and accompanying thoughts, feelings, and physical symptoms associated with gambling
- The negative portion of the exposure is designed to be a potent reminder of what actually happens during clients gambling, and will likely have the effect of decreasing urge not long after it was activated
- Through the repeated practice of reviewing imaginal exposure session, expectation is to gain more insight and be less reactive to gambling triggers

Contingency Management

- Based on principles of operant conditioning
- Three Behavioral Tenets of CM:
 - Frequent monitoring of target behavior
 - Providing tangible reinforcement for completion of target behaviors
 - Remove reinforcement when target behavior does not occur
- Typically added to other form of Tx

Contingency Management

- CM Outcomes in SUD Treatment
 - Participants stay in treatment longer (Higgens et al, 1994; Petry et al., 2000)
 - Longer duration of continuous abstinence (LDA) during treatment (Petry et al., 2005)
 - Regardless of type of treatment LDA associated with long term success.

Contingency Management

- Applying CM to Problem Gambling Tx
 - Cannot reinforce gambling abstinence since no objective measure
 - Reinforce compliance with homework
 - Reinforce GA attendance
 - Reinforce recovery oriented behaviors

Contingency Management Clinical Application

- •Counselors make final decision about whether completion adequately proven (with input from group)
- Reward = low cost gift card, gas card, dinner voucher, etc.
- Can "spend" right away or save up

	_

Contingency Management Clinical Application

Client responses

- Very low drop out
- Majority of clients complete activities
- Activities often therapeutic
 - by a spouse, "We went out to dinner using the 'reward' and it was the first time in a long time we focused on each other"

Contingency Managemen	ıt
Clinical Application	

Client responses

- Rewards
 - Many clients state they enjoy the group and 'rewards' aren't main reason they come
 - Use to reinforce recovery activities, "I used my 'reward' to do XXX and realized now much of life I have been missing by gambling."

Using Motivational Strategies with GA

Space for Open Discussion

Use of 20 Questions to elicit curiosity

Have peer available to meet with client(s)

Review combo book and other GA literature – what fits

Problem solve obstacles

Practice meeting

Buddy system

Know your local GA community

Deeply understand the 12 Steps

Nature of GA Meetings

Open/Closed

Cross Comment

Clean Date

Ask to respond to 20 Questions

Often everyone is asked to talk or read

Budget and Pressure Relief

AA and GA Meetings

Fewer meetings

Few Lead or Step meetings

Smaller

Downplay spirituality

Meetings often longer

Sponsorship not as available



Alternative Recovery Options: Groups

Smart Recovery

Celebrate Recovery

Gamblers in Recovery

Recovery Road Online Fellowship

The Broke Girl Society

Women Gamblers in Recovery

Alternative Recovery	
Options: Apps	-
Evive	
RecoverMe	
My Gamblers Anonymous Toolbox	
Gamban	
	1
Alternative Recovery	
Options: Podcasts	
Hello, My Name is Craig	
All In: The Addicted Gambler's Podcast	
The After Gambling Podcast	
The Broke Girl Society	
Fall In (Military Service Members & Veterans)	
	1
Problem Gambling & Recovery	
Planning: ASAM Criteria	
Questions like:	
"What is best care? Who provides best care?"	
What are acceptable outcomes?	
Total lifelong abstinence, reduced number of relapses, reduced negative consequences, the use of harm reduction, etc all part of providing care to individuals w/gambling problems & their families	
We have moved away from one size fits all Tx	

Problem Gambling & Recovery Planning: ASAM Criteria

Treat the person not the reimbursement

Is treatment at your agency about the program or the patient?

Assessment tools for individualized treatment.

Practice guidelines that direct placement and treatment - flexible, evidence-based, stage appropriate, culturally sensitive.

Prioritizing Recovery: Where to Begin

Crisis Intervention vs. Recovery Planning: Immediate Life Threat/Safety

What will engage and motivate

Do we view the world through the client's eyes

What does the client want most

How can we help client to utilize strengths

Stabilization/Obstacles to Psychosocial Tx

Problem Gambling & Treatment Planning: ASAM Criteria, 2013

• Adult Levels of Care:

Le	vel 0.5	Early	Intervention
----------------------	---------	-------	--------------

- Level 1 Outpatient Services
- Level 2.1 Intensive Outpatient (IOP)
- Level 2.5 Partial Hospitalization (PHP)
 Level 3.1 Clinically Managed Low-Intensity Residential
- Level 3.3 Clinically Managed Population-Specific High-Intensity

Residential

- Level 3.5 Clinically Managed High-Intensity Residential
- Level 3.7 Medically Monitored Intensive Inpatient
- Level 4 Medically Managed Intensive Inpatient
- OTP Opioid Treatment Program (Level 1)

Problem Gambling & Treatment Planning: ASAM Criteria

- Six dimensions (+ 1):
 - 1. Acute intoxication/withdrawal potential
 - 2. Biomedical conditions and complications
 - 3. Emotional, behavioral or cognitive conditions and complications
 - 4. Readiness to change
 - 5. Relapse, continued use or continued problem potential
 - 6. Recovery/living environment
 - 7. Financial (added for disordered gambling)

Level	ls of Cai	re & Tı	riage Di	mensi	ions
	Early (Brief)	Standard	IOP/	Resident	Inpatient
	Intervention	Outpt	Part Hosp		
Acute Intox/					
Withdrawal					
Biomedical	000				
Emot/Behav		1	A STORY	1	
/Cognitive			W. M.		
Readiness to					
Change					
Relapse/Cont. Gambling Potential					
Financial					
Recovery					
Environment					

Treatment Plan Mapping Texas Institute of Behavioral Research (TCU 2007)

■ Develop collaborative understanding of

- client's concerns, hopes, aspirations
- ■How did you get to this point?
- ■Map of you today
- ■Current concerns and priorities
- ■What do you hope will be better/different as a result of counseling/recovery?

What is your plan?

- How important is it to you to make any change in your planning?
 - 0...1...2...3...4...5...6...7...8...9...10
 - Not at all Extremely
- How <u>confident</u> are you that you can change
 - 0...1...2...3...4...5...6...7...8...9...10
 - Not at all Extremely
- What will be your first step?

Difficulties Related to Treatment

- There is no such thing as chance
- Viewing games of chance as games of skill
- Believing in the idea of Control
- Gambling is exciting
- Refusing to change thoughts
- Tardiness, Absences, Missed appointments
- Lying during therapy
- Lack of cooperation
- Depression and Suicidal Ideation
- Financial Issues





Maneuvering thru the Jungle of Co-Occurring Disorders & Gambling Treatment

- 2016 study of 183 treatment seeking individuals at a community outpatient addiction program found:
- Rates of co-occurring PG (18.6%) and GD (10.9%) were strikingly higher than the rates of those found in general population (~2% and 0.5%)
- Concluded: In the era of the continued gambling expansion, these results call for creation and/or adjustment of clinical addiction services to meet emerging preventive and therapeutic needs. Elman et al, 2016

Lifetime Co-morbidity

Kessler et al., 2008 (National Comoribidty Survey Replication)

		Temporal Sequence (For those with PG and other disorder				
Disorder	Prevalence of Disorder amg. PG	PG First	Other Disorder First	Onset at same time		
Any mood Disorder	55.6%	23.1%	64.1%	11.7%		
Any anxiety disorder	60.3%	13.4%	82.1%	4.5%		
Any impulse control disorder	42.3%	0%	100%	0%		
Any substance use disorder	42.3%	36.2%	57.4%	6.4%		

Co-occurring Issues & Personality

• Problem/disordered gamblers with co-occurring lifetime alcohol dependence demonstrate addictive behavior across multiple domains and report a personality style characterized by hopelessness, impaired control, and resistance to externally-motivated treatment approaches

Gambling Disorder and PTSD Ledgerwood & Milosevic (2015)

- Over 19% of participants met criteria for a lifetime diagnosis of PTSD:
 - Mostly women
 - Lifetime and current anxiety disorder.
 - Lifetime major depressive disorder
 - Current dysthymic disorder
 - Lifetime substance use disorder and dependence
 - More likely to use gambling as a way to cope with negative emotions and experienced greater negative emotionality

-	

Gambling Disorder and Mood Disorders

Lister et al, 2015

- Co-occurring MD associated w/higher scores for:
 - Alienation and stress reaction
 - Lower scores for well-being
 - Social closeness
 - Control
 - Higher impulsiveness scores for urgency
 - Lower sensation seeking scores

Gambling as self-medication for COD's

- Gambling acts as antidepressant
- Gambling acts as a stimulant
- Gambling numbs out
- Gambling enhances dissociation
- Gambling acts as anti-anxiety agent

Individual vs. Systemic

- Assess for DSM Diagnosis
- Individual therapy
- Linear
- Internal processes (cognitions & feelings)
- Individual experiences and perspective
- Change Individual
- Assess for family process and rules
- Family therapy
- Circular
- Family relationships and roles
- Family and community experiences
- Change system

The family system...

- is greater than the sum of its individual systems
- performs specific functions
- develops system and subsystem boundaries
- changes if any part of the system changes
- continuously adjusts to create a balance between change and stability - homeostasis
- is best understood using circular causality rather than linear causality

1st and 2nd Order Change

- First order: something changes according to the rules of the system.
 - Logical solutions to a problem (e.g. cold outside, turn up the heat)
- Second order: the rules change and therefore the system itself changes
 - (Judge mandates jail, father has to acknowledge the problem)

The Family Systems Perspective

- Individuals best understood through assessing interactions within the entire family
 - e.g. A family with a parent diagnosed with Gambling Disorder has attitudes and responses that influence the level and severity of symptomatic behavior. Those behaviors in turn influence the attitudes and responses of all the family members.

,			

The Family Systems Perspective

- Problematic behaviors
 - Serve a purpose for the family
 - Unintentionally maintained by family process
 - Are a function of the family's inability to operate productively
 - Are symptomatic patterns handed down across generations

Redefining Family | Company | Many |

Family Impact

- 8-10 other people are affected by every 'pathological gambler'. (Lobsinger & Beckett, 1996)
- Consequences include but are not limited to:
 - Financial losses
 - Communication problems
 - Trust Issues
 - Chronic lying
 - Legal problems
 - Domestic violence

Problem & Disordered Gambling: Working with the Family

- The RELATIONSHIP is the Client
 - Which family/support members are forming the identified relationship?
 - Who has the power in this relationship?
 - Can we ally with the power base in the family?
 - Identify the reality based needs (food, utilities, etc.)
 - Identify the intimacy based needs (anger, trust, etc.)

Problem & Disordered Gambling: Working with the Family

- Think Family First.
 - More Objective Data on the individual's Behavior
 - Family Often Represents the Ultimate Level of Motivation for the Individual
 - Helps combat the High Drop Out Rate
 - Opportunity to Educate the Family Against Bailouts
 - Relationship Counseling Reduces Communication Delays Among Family and Counselor

A Couples Modality = Greater Inroads in Treatment (Ciarrocchi 2001).

Problem & Disordered Gambling: Working with the Family

- Begin with Crisis "Mismanagement"
 - Identify 'The Clients' Priorities
 - Identify Your Priorities
- Negotiate Treatment Plan Goals Inclusive of Reality and Intimacy Issues

• CAUTION:

- Doing Too Much Too Soon Can Become a Bailout for the Family
- Carefully address the Timing of Your Interventions

-			
	_	_	

Problem & Disordered Gambling: Working with the Family

Three Common Family Responses

(Ciarrocchi 2001)

- Accepts the individual w/little loss of intimacy
- Develops a relationship with individual of a parallel existence, emotionally cold, some level of interaction, may have appearance of unity but tacitly has minimal expectations around intimacy, protects self and coexists


Problem & Disordered Gambling: Working with the Family

Three Common Family Responses

(Ciarrocchi 2001)

 Family remains together, but with intense conflict. Regardless of gamblers abstinence family remains chronically angry.

Families are **dynamic systems**, change over time, may range from rage to indifference, emotions shift



Family Treatment

- Impact
 - Most commonly reported items
 - Trust
 - Anger
 - Depression or Sadness
 - Anxiety
 - o Distress (due to gambling-related absences)
 - Reduced Quality Time
 - Communication Breakdowns

Dowling et al, 2016

Family Treatment

- Education
 - Gambling Disorder as a psychiatric, biopsychosocial, spiritual, cultural disorder
 - Role of and introduction to 12-step Groups
 - Role of Budget and Pressure Relief or other financial/credit agencies
 - On co-occurring psychopathology and risk factors as well as pathological gambling
 - · Coping with suicidality

Family Treatment

- Education
 - Interaction of gambling progressions and psychopathology
 - Maintaining personal & financial safety for family
 - PG as potentially recurring, chronic disorder
 - Restitution and Money Management
 - Creating Family Financial Safety Plan

•		

Family Treatment

- Assess need for individual counseling for family members
- Time for expressing anger, fear, distrust
- Specific counseling around abuse/ domestic violence
- Facilitate discussion around issues of separation/divorce

Family Treatment

- Counseling on limit setting, detaching with love
 - "Detach with an attachment"
- Issues of vulnerability (financial & emotional)
- Release of Information and Confidentiality
- Accountability and Responsibility

Family Treatment

- Help family understand shared dynamics / pathology
 - Listening and communication skills
 - Here and Now orientation
 - Maintaining adult ego state
 - Conflict resolution and Problem Solving Skills

-			
_			
_			
_			
-			
_			
-			
-			
_			
_			

- When the individual with the gambling issue is not involved in recovery
- When the individual with the gambling issue is involved in recovery

Problem & Disordered Gambling: Working with the Family

- Assessment: Begin with courtship history.
 - Puts couple at ease, some humor found, positive frame
 - List attractions each partner had for the other
 - Spouses find qualities intricately connected to the gambling behavior

Problem & Disordered Gambling: Working with the Family

- Individual sessions assess: ideal degree of closeness and control desired in relationship.
- Also assess for issues of infidelity, sexual abuse or domestic violence out of joint session.
- Minimize blaming, goal is increased tolerance and acceptance.

•			
•			
•			
•			
•			
•			
•			
•			

Problem & Disordered Gambling: Working with the Family

- Present couple with formulation of how things got the way they are.
 - A tentative hypothesis for which the couple provides feedback
 - Provides a tool for empathic joining- problem is the "it", not him or her, or him and him, or her and her.
- Polarization vs. acceptance: each tries to change the other, digs in heels, acts out, control battles...

Problem & Disordered Gambling: Working with the Family

CRAFT

- Community Reinforcement and Family Training
- Non-confrontational approach to Tx entry
- Designed for the concerned other (spouse, family member, friend)
- High success rate getting people into Tx over traditional strategies

Problem & Disordered Gambling: Working with the Family

CRAFT

- Especially useful for family who has seen previous attempts fail & is worn out
- Appealing approach to those who are turned off by harsh confrontational interventions
- Process based on the idea that no one has better information about the behavior of the individual than the family

•		
•		
•		
•		
•		
•		
•		
•		

Family Reassessment & Discharge Planning

- Final Assessment
 - Family's perspective on how the gambler has met treatment goals
 - Family's perspective on meeting their own treatment goals
 - Does the family have any additional/ongoing treatment needs
 - Process for family to re-engage in treatment if needed

Family Reassessment & Discharge Planning

- Final Assessment
 - Discussion of relapse warning signs
 - How can family provide feedback
 - How can gambler listen to feedback
 - Gambler's and Family members' triggers



Gambling Counselor Training Week 3 – Session 5

Council on Compulsive Gambling of Pennsylvania, Inc.
Josh Ercole, Executive Director

Jody Bechtold Consultant to CCGP Gregory Krausz Consultant to CCGP Lori Rugle, Ph.D., Consultant to CCGP

6	•	•	2
	J	•	2

Problem Gambling & Gender in the U.S. 2001 @2.9% female problem or pathological @4.2% male problem or pathological 2011 @2.5% female @6.8% male	
2024 PA Helpline	
~26% of Intake Calls were made by females	
Women - Gender Specific	
More rapid progression in part to preference of 'continuous play' forms of gambling	
 Female gambling is often differently motivated: Escape from personal pressures, boredom, a depression Tend to employ inefficient "emotion-focused" coping strategies (avoidance strategy) 	

Therapeutic Models to Consider

- Empowerment Models
- CBT Enhance Empathy (Karter, 2013)
- Trauma Recovery (or referral if you are not skilled)
- Person-Centered Therapy (Karter, 2013)
- Culturally-Infused Techniques (Adell, 2013; Haskins, 2011)

Women sensitive treatment

- Powerlessness
 - Conflict with feminine movement / societal messages
- Hormones / change of life
 - Medical and psychological considerations
- Abuse issues
 - Successful referral / collaboration
- Harm Reduction
- Shame issues
- Videos pamphlets
- Connecting women in recovery



Future Directions

- Women represent a rapidly expanding segment of the online gambling population
- Online gambling characterized by
 - Flexible hours
 - Local availability
 - Low price of participation
 - Clean, attractive location
 - Physical safety
 - Availability of childcare
- Similar characteristics may lead to growing numbers of women experiencing difficulties with this new, very private form of gambling

Older Adults

Aging demographics

- •65+
 - •2019 US 16.5%;
 - •PA 18.7%



•Person reaching age 65 has average life expectancy of an additional 19 years.

Gambling as Leisure

- •Often provides an opportunity to socialize with others outside the home
- Potentially provides a way to use cognitive skills and maintain cognitive skills
- May promote some physical activity (depending upon amount of walking or other movement used to reach site)

Older Adults & Gambling

- •Some Reasons Why Older Adults May Gamble:
 - Opportunity & Availability
 - Relief of physical pain
 - Disposable income / Limited income
 - Boredom; Free time (retirement/kids move out/etc.)
 - Loneliness and/or Depression
 - · Loss of spouse/friends/family
 - Adjustment to new location
 - Limited Recreational Alternatives
 - Physical limitations, social limitations

-		
-		

NORC Survey - Age

While older adults less likely than younger adults to have ever gambled or engaged in past year gambling, they are more likely to gamble weekly

2024 PA Helpline

Less than 16% of Intake Calls made by Adults 55+

2024 PA Helpline

~27% of Intake Calls concerning Adults 55+ were regarding Slots

2024 PA Helpline

~27% of Intake Calls about Adults 55+ were concerning Online Gambling

	Signs of	f OI	der <i>i</i>	Αdι	ılt	PG
--	----------	------	--------------	-----	-----	----

- Secrecy/avoidance when questioned about time and money
- Decline in health
- •Higher priority on gambling activities
- •Sudden need for money/loans
- Changes in attitude and personality

Treatment

- •Treat Co-Occurring psychiatric and medical conditions (e.g., Dementia)
- •Reaffirm dignity and identity
- •Use Empowerment/Motivational model
- •Use retrospective approach
- Include support systems
 - Community social services
 - Family/friends/spiritual community

_			
_			
_			
_			
_			
_			
_			
_			
_			
_			
_	 	 	
_			
_			
_			
_			
_			
_			
_			
_			
_			
_			

Youth Gambling and Problem Gambling

- Prevalence rates in the U.S., Canada, Australia, New Zealand and the U. K. regularly show that about 80% of past year underage youth gambling reported
- 4-6% experience severe problems
- 10-15% are at risk for the development of a severe gambling problem.

Youth Problem Gambling Health and Social Issues

Adolescents & gambling:

- Often have lower self-esteem compared to other adolescents
- Prone to engaging in multiple co-occurring addictive behaviors (smoking, drinking, drug use/abuse)
- Have been found to have a greater need for sensation seeking and more likely to take risks and to be excited and aroused while gambling

Youth Gambling: PAYS 2023

Pennsylvania Youth Survey

Asks students in grades 6, 8, 10 & 12 a series of questions to gather information about their knowledge, attitudes, experiences and behaviors towards alcohol, tobacco and other drug use – also included are potentially risky behaviors, including, but not limited to, gambling

2023 statistics:

- 1,048 schools throughout PA
- 262,535 surveys were represented

-		
•		
-		
•		
_		
•		
•		
-		
•		
•		

Youth Gambling: PAYS 2023

Included are past 12 month prevalence measures for:

- gambling for "money or valuables" on:
 - Games such as poker, card games, dice, pool, darts
 - Lottery (scratch-off/numbers)
 - Sporting Events/Sports Pools/Fantasy Sports
 - Online/Internet
 - NEW IN 2023 Video Games or Online Gaming
 - Bet/gambled in some other way

A question about gambling for "money/anything of value" in lifetime and the past 30 days is also asked

Youth Problem Gambling: PAYS 2023

Regarding compulsive/dishonest gambling behavior, the Lie/Bet brief screen was added to the PAYS in 2013

- Have you ever felt the need to:
 - bet more and more money?
 - lie to people important to you (family/friends) about how much you gamble?

Youth Problem Gambling: PAYS

State data range over the past three reports:

- ~21% ~34% = lifetime gambling
- ~5% ~9% = Past 30 day gambling
- ~3% ~5% = Felt need to gamble more
- ~1% ~3% = Have lied about gambling

PAYS - Online Data Analysis Tool

- Allows cross analysis between gambling participation and other risky behaviors
- Evidence that students who gamble are significantly more likely to participate in other risk behaviors
- High risk behaviors tend to cluster gambling appears to fit within a risk behavior matrix

C I. I	11	D		C I	١.
Gamb	ling	Prevent	ion:	Goal	IS
Cumb		I I C V CIT		- 004	

- Prevention through risk-reduction
 - individual
 - family
 - peer and social contexts
 - community context
- Risk-reduction by enhancing protective factors
 - attributes of the individual
 - family support
 - environmental support
- Using schools as a basis for prevention through promotion of social/personal competence, thus enhancing resiliency


(Lussier, Derevensky & Gupta, in press)

Treatment for Youth with Gambling Problems

- Current treatment paradigms for adolescent and young adults have in general been based upon a number of theoretical approaches and parallel those used for adults:
 - Psychoanalytic, psychodynamic
 - Behavioral
 - Cognitive
 - · Cognitive-behavioral
 - Psychopharmacological
 - Biological/genetic
 - Addiction-based and self-help

Internet Gambling

- Currently legal in DE, NJ, MI, NV, WV & PA
- 10/2017 PA state legislators passed a bill, which was then signed by Governor Wolf that allows for legal online gambling in PA



2024 PA iGaming Revenue | Slot | Table Games | IGaming Revenue | S3,069,077,597 | S2,0015 | S2,066,1659 | S903,071,597 | S2,0015 | S2,066,1659 | S903,077,597 | S2,077,597 | S2,07

Online Gambling Anonymity Companion Invisibility Fantasy Credits • Expression • Instant Gratification • Ego Anticipation • Chasing **iGaming Protections in PA** • 800-GAMBLER® • Age/ID Verification - 21 and over only! • Self-Imposed Limits • Account Statement Access • Login History / Time Tracking • Responsible Gaming page on website • Required annual employee training on PG • Self-Exclusion / Conscious Gaming PlayPause Program May 2018

- US Supreme Court overturns Professional and Amateur Sports Protection Act (PASPA)
 - Allowed for states to decide whether or not betting on pro/college sports should/could be legalized



2024 PA Sports Betting

Year	Slot Machine Revenue	Table Games Revenue	iGaming Revenue	Sports Wagering Revenue	VGT's Revenue	Fantasy Sports Contests	Total Gaming Revenue
2014	\$2,319,534,380	\$749,543,217					\$3,069,077,597
2015	\$2,365,651,659	\$808,137,112					\$3,173,788,771
2016	\$2,360,184,122	\$853,238,055					\$3,213,422,178
2017	\$2,336,212,902	\$890,704,254					\$3,226,917,156
2018	\$2,369,885,203	\$878,796,174		\$2,516,589		\$15,309,615	\$3,266,507,581
2019	\$2,363,085,678	\$903,594,181	\$33,599 749	\$84,112,967	\$2,729,540	\$25,872,124	\$3,412,594,239
2020	\$1,355,924,785	\$504,309,266	\$565,776 908	\$189,703,465	\$16,647,898	\$21,148,707	\$2,653,511,029
2021	\$2,287,529,465	\$924,902,965	\$1,112,855,937	\$340,113,160	\$31,852,039	\$29,298,635	\$4,734,552,201
2022	\$2,390,757,300	\$990,568,468	\$1,364,392,468	\$401,208,108	\$42,079,447	\$22,329,896	\$5,211,335,687
2023	\$2,463,698,452	\$971,742,564	\$1,741,832,019	\$458,616,339	41,237,349	\$20,091,332	\$5,697,218,115
2024	\$2,447,354,419	\$937,153,860	\$2,181,669,449	\$510,716,858	\$41,525,888	\$18,668,580	\$6,137,089,054

2024 Sports Betting Handle (amount wagered) = over \$8.4 Billion

Pennsylvania Gaming Control Board, 2024

Sports Wagering Protections

 $\underline{\text{Retail}} \text{ sportsbook follows existing } \underline{\text{casino}} \text{ RG regulations}$

- Security / Surveillance
- Info / Helpline
- Trainings
- Self-Exclusion
 - 1 year, 5 year, Lifetime term options

Online Sportsbook follows PGCB iGaming RG regulations
Pennsylvania Gaming Control Board, 2021

College Gambling

Approximately 75% of college students have gambled in the past year.

Approximately 25% of schools have gambling policies in place

International Center for Responsible Gaming

College Problem Gambling

- Estimates indicate approximately
 6% of college students in the US
- This represents over 1 million students in the US and approximately 40,000 in PA

Sports Betting

- Approx. 30% of U.S. college students will gamble on sports this year (NCPG)
- ullet Well-demonstrated relationship of problem gambling with other risky behaviors $^{\mbox{\tiny 1.3}}$
 - Excessive alcohol use & binge drinking
 - Regular tobacco use
 - Marijuana & other illicit drug use
 - Overeating/binge eating

Sources: 1. Engwall, Hunter & Steinberg (2004). 'Gambling and Other Risk Behaviors on University Campuses.' Journal of American College Health. 52, 0k; 245-255. 2. Shaffer, Donata, Labric, Kilman, & LaPlante, (2005). The epidemiology of college alcohol and gambling policies. Harm Reduction Journal. 2 (1). 3. LaBric, R., Shaffer, H., LePlante, D., and Wechslet, H. (2003). Correlates of college student gambling in United States. Journal of American College Health. 52 (2): 53-62.

PA Helpline Activity

2024

- Over 12% of calls 24 & under
- Over 5X the call volume of 2017
- 25-34 over 22% of 2024 calls

What is Gaming?

Google definition:

- •The action or practice of playing video games
- •The action or practice of playing gambling games

Internet Gaming Disorder

"A condition warranting more clinical research and experience before it might be considered for inclusion as a formal disorder"

American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders: DSM-5

		1
Gaming Disorder Diagnostic Criter	: Proposed DSM-5 ia	
•Preoccupation	•Loss of Control	
•Tolerance	•Risked Relationship	
•Withdrawal	•Continue Despite	
•Escape	Negative Outcomes •Give up other	
•Lying	hobbies/activities	
L		1
<u> </u>]
<u>Gam<mark>bl</mark>ing</u> Disord DSM-5 Diagnost	er: ic Criteria	
•Preoccupation	•Loss of Control	
•Tolerance	•Risked Relationship	
•Withdrawal	•Chasing	
•Escape	•Bailout	
•Lying		
		1
Internet Ga	ming Disorder	
World Health Organization		
• 2018 - World F (WHO) now cla	Health Organization	
disorder in thei		
Ciassification of	D.350303 (10D 11)	


WHO Definition


A pattern of gaming behavior ("digital-gaming" or "video-gaming")
 characterized by impaired control over gaming, increasing priority given to gaming over other activities to the extent that gaming takes precedence over other interests and daily activities, and continuation or escalation of gaming despite the occurrence of negative consequences.


Internet Gaming Disorder - WHO

Diagnosis

- Diagnostic test (questionnaires/structured interviews) will need to be revised to help determine presence of disorder
- Internet Gaming Disorder Scale (IGDS)
 - standard measure of computer and video game addiction. (Pontes et al., 2015)







Microtransactions

- 'Small' amounts of real-world money spent on virtual items or other advantages
 - In-game items (weapons/skins/level up packs)
 - In-game currencies
 - Additional lives/Expiration
 - Random Chance Purchases

Microtransactions: Loot Boxes

 In-game mechanism allowing players to spend money in video games



 Players are not paying for something specific — instead they are paying for a randomly selected item

Microtransactions: Loot Boxes



Loot Boxes & Gambling

Structural similarities

- Exchange of money/something of value
- A future event will determine results of the exchange
- \bullet Chance at least partly determines outcome of the exchange
- Losses can be avoided by simply not taking part
- Winners gain at the sole expense of losers

Zendle, et al, 2019 https://doi.org/10.1098/rsos.190049

Loot Boxes & Gambling

By the end of 2025

- 230+ million users will buy Loot Boxes
- Revenues generated by Loot Boxes are projected to exceed \$20B by 2025
- An increase from an estimated \$15B in 2020


Juniper Research, 2021

-C		-4-
es	DO	rts

- Form of competition using Video Games
- Multiplayer
- · Professional players
- · Live streaming
- Video Game Industry shift to follow subculture
 - Real Time Strategy (RTS)
 - Massively Multiplayer Online Role-Playing Game (MMORPG)
 - First-Person Shooter (FPS)
 - Multiplayer Online Battle Arena (MOBA)
 - Sports/Racing

May 2018

- US Supreme Court overturns Professional and Amateur Sports Protection Act (PASPA)
 - Allowed for states to decide whether or not betting on pro/college sports should/could be legalized
 - Applies to eSports











Gamblers Anonymous gamblersanonymous.org

Online Gamers Anonymous olganon.org

Other Types of 'Gambling'

- Day Trading / Stock Market
- Off-shore unregulated sites
- Sweepstakes
- Social Casinos
- Video Games
- Bookmakers
- Skill Games(?)
- Others?





Problem Gambling Financial Guide



Gambling Counselor Training Week 3 – Session 6

Council on Compulsive Gambling of Pennsylvania, Inc.
Josh Ercole, Executive Director

Jody Bechtold Consultant to CCGP Gregory Krausz Consultant to CCGP Lori Rugle, Ph.D., Consultant to CCGP

The Ethical Decision-Making Model at a Glance

- 1. Identify the problem.
- 2. Apply the ACA Code of Ethics.
- 3. Determine the nature and dimensions of the dilemma
- 4. Generate potential courses of action.
- 5. Consider the potential consequences of all options and determine a course of action.
- 6. Evaluate the selected course of action.
- 7. Implement the course of action

https://www.counseling.org/docs/default-source/ethirs/neactioner-39-s-guide-to-ethical-decision-making.ndf?sfyrsn=10

п			- • • 1	I A
	Immed	liate	Financial Property of the Prop	LACTIONS

- Remove your name from:
 - Jointly owned credit cards
 - Joint savings and checking accounts
- Change your PIN on any debit cards
- Open separate safety deposit box (valuables)
- Monitor mail and throw away new offers
- Take over paying all household bills

Immediate Financial Actions

- Refuse to co-sign any loans/other financial obligations
- Alert all creditors of a gambling problem and ask them to stop extending any credit
- Tell family & friends in order to stop lending
- Contact credit agencies (Equifax, Experian, TransUnion)
 - www.annualcreditreport.com
- Have paycheck automatically deposited & agree to a weekly budget

Identifying Income and Assets

- Identify income and assets that can be used to feed the habit
- Establish a spending plan
- Shift control of the finances
- Set up a repayment plan for all debts and avoid bankruptcy
- Decide if investing is an appropriate option

Financial Planning, Restitution & Making Amends

- √A complete inventory of all debts
- ✓ A detailed budget for expenditures and repayment
- ✓ Life adjustments that may be needed

Family Treatment: Financial Planning for Recovery

- Six Stage Model
 - Clarify Debt
 - Identify Expenses
 - Identify/Predict Income
 - Create Budget
 - Debt Repayment Plan
 - Money Protection Plan

THE MEANING OF MONEY: To the Impacted Individual

It is often said there are "two kinds of money"

The first is **real** money:

• Real money is used to pay bills, buy things, etc.

The second is **gambling** money:

- Gambling money is used only for gambling and is never really lost. It is just being *held* by the gambling venue for the individual to re-claim the next time they win.
- Gambling money therefore is of more value and often protected, hidden, etc so the individual can find their way out of debt...endless hope lives in this fantasy.

Asset Protection Plan

- How will I safeguard my money from my gambling?
- Who can help me?
- To whom will I be accountable?
- Issues to consider:
 - Gender
 - Safety issues
 - Family dynamics
 - Cultural issues

Asset Protection Plan

• Case examples





Gamfin

ROSC an	d Prob	lem G	iamb	ling
---------	--------	-------	------	------

 Working Definition of Recovery:
 "Recovery from Alcohol and drug problems is a process of change through which an individual achieves abstinence and improved health, wellness and quality of life."

12 Guiding Principles

- 1. There are many pathways to recovery
- 2. Recovery is self-directed and empowering
- Recovery involves a personal recognition of the need for change and transformation
- 4. Recovery is holistic
- 5. Recovery has cultural dimensions
- 6. Recovery exists on a continuum of improved health and wellness

_	

12 Guiding Principles

- 7. Recovery emerges from hope and gratitude
- 8. Recovery involves a process of healing and self-redefinition
- Recovery involves addressing discrimination and transcending shame and stigma
- 10. Recovery is supported by peers and allies
- 11. Recovery involves (re)joining and (re)building a life in the community
- 12. Recovery is a reality

Framework of ROSC

- ROSC are networks of organizations, agencies and community members
- Coordinate a wide spectrum of services to prevent, intervene in and treat substance use, and gambling, problems and disorders

Recovery Environment

- 1. Encourages individuality
- 2. Promotes accurate and positive portrayals of psychiatric disability while fighting discrimination
- 3. Focuses on strengths
- 4. Uses a language of hope and possibility
- 5. Offers a variety of options for treatment, rehabilitation and support
- 6. Supports risk-taking, even when failure is a possibility

Recovery Environment

- Actively involves service users, family members and other natural supports in the development and implementation of programs and services
- Encourages user participation in advocacy activities
- 9. Helps develop connections with communities
- Helps people develop valued social roles, interests and hobbies, and other meaningful activities

O'Connell, Tondora, et al '05

Recovery Vision and Values of ROSC

- People in recovery are active agents of change in their lives and not passive recipients of services
- All services can be organized to support recovery
- Person-centered services offer choice, honor each person's potential for growth, focus on strength's attend to overall health and wellness of the client.

Gagne, White, and Anthony '07

ROSC Should Include


- Multiple pathways to recovery, supported by peers.
- Acknowledgement that Recovery is non-linear
- Service strategies, e.g. Tx, post Tx monitoring
- Early re-intervention and community support
- Essential strategies, e.g. Tx, peer and community support, legal aid, basic and family formation

ROSC- A Recovery Orientation

- Emphasis on choice
- Support autonomous action
- Have a range of opportunities to choose from
- Have full information about those choices
- Increasing personal responsibility for the consequences of choice

ROSC- A Recovery Orientation

- Emotional essence of recovery is HOPE
- Promise things can and do change today is not the way it will always be
- Key theme is one of meaning, discovery of purpose and direction
 - May be reflected thru work or social relationships or
 - From advocacy and political action or
 - For some meaning is strongly spiritual



Brain chemicals - vulnerabilities • Serontonin

- Lower levels in the brain, less able to inhibit their behavior
- Risk-taking behaviors like gambling
- Dopamine
 - Rewarding feeling associated with behaviors
 - Problems with dopamine system may contribute to vulnerability to addictive behaviors
- Opioid System
 - Problems with opioid system plays a role in regulating urges and the processing of pleasure

B 4		• .	•
N	Pd	ıcatı	ions

- Antidepressants
 - Prozac mixed results
 - Lexapro reduced anxiety driving gambling behavior
- Mood Stabilizers
 - Lithium (bipolar) mixed results
- Opioid Antagonists effective treatment for urges and co-occurring alcohol disorders
 - Naltrexone and Nalmefene


Medications

- Glutamatergic agents
 - N-acetyl cysteine most beneficial for urges
- Discussion:
 - Variety of medications reduce symptoms of pathological gambling in the short term. No study has examined beyond 6 months.
 - Different classes of medications seems equally effective in reducing symptoms
 - Limited data for medications for PG and other psychiatric conditions

Treatment Algorithm

- N-Acetyl Cysteine, L-Methyl Folate, SSRI or Naltrexone
 - Bipolar Stabilize then Naltrexone or NAC
- Substance Use Disorder Naltrexone
- Major Depression SSRI or SNRI
- ADHD -Bupropion or Strattera

Source: Dr. Ken Nelson



Gambling & Spirituality

- Gambling gives "hope" and "opportunity" for a better life
- Religious affiliation in gambling behaviors:
 - Sanction or endorsed participation
 - Superstitious beliefs, praying to win, rituals, religious medallions as lucky charms
- Strengthen habits to encourage belief that one can increase one's chances

Gambling & Spirituality

- Individuals might attend more religious activities and make promises to "God"
 - "God will treat me well and help me win"
- Feel more spiritual, sensing "God's" presence as they win and lose

Gambling & Spirituality

- Religious groups give people strength to recover
 - Associated social supports
 - Regain trust
 - Promote sense of forgiveness
- Spirituality has special healing processes
 - Notion of higher being


Gambling & Spirituality

- People with gambling problems might stop all religious activities
 - In favor of gambling
 - Guilt associated with problem gambling
 - Lying, cheating and stealing
 - Refer to the DSM-5 criteria (borrowing, bailouts, preoccupation)

-

Gambling or Recovery?

- Where does gambling at one's church / synagogue group help to strengthen unity in spirit?
- Where does the belief in one's reward from a higher source in trying hard is "due" OR is "getting closer" fit?





Council on Compulsive Gambling of Pennsylvania, Inc.

Josh Ercole Greg Krausz
Executive Director CCGP Consultant/Trainer
215-643-4542 484-866-6165

josh@pacouncil.com gkrausz@marsatp.com

www.pacouncil.com