DSM-5 Diagnostic Criteria: Gambling Disorder

* For informational purposes only *

- A. Persistent and recurrent problematic gambling behavior leading to clinically significant impairment or distress, as indicated by the individual exhibiting four (or more) of the following in a 12-month period:
 - Tolerance Needs to gamble with increasing amounts of money in order to achieve the desired
 excitement
 - Withdrawal Is restless or irritable when attempting to cut down or stop gambling
 - Loss of Control Has made repeated unsuccessful efforts to control, cut back, or stop gambling
 - **Preoccupation** Is often fixated on with gambling, even when not engaged in the activity (e.g., has persistent thoughts of reliving past gambling experiences, handicapping or planning the next venture, thinking of ways to get money with which to gamble).
 - Escape Often gambles when feeling distressed (e.g., helpless, guilty, anxious, depressed)
 - Chasing After losing money gambling, often returns another day to get even
 - Lying Lies to conceal the extent of involvement with gambling
 - Risked Relationship(s) Has jeopardized or lost a significant relationship, job, or educational or career opportunity because of gambling
- **Bailout** *Relies on others to provide money to relieve financial situations caused by gambling* B. The gambling behavior is not better explained by a manic episode.

Specify if:

Episodic: Meeting diagnostic criteria at more than one time point, with symptoms subsiding between periods of gambling disorder for at least several months.

Persistent: Experiencing continuous symptoms, to meet diagnostic criteria for multiple years. *Specify* if:

In early remission: After full criteria for gambling disorder were previously met, none of the criteria for gambling disorder have been met for at least 3 months but for less than 12 months. In sustained remission: After full criteria for gambling disorder were previously met, none of the criteria for gambling disorder have been met during a period of 12 months or longer. *Specify* current severity:

Mild: 4–5 criteria met.
Moderate: 6–7 criteria met.
Severe: 8–9 criteria met.

From the Diagnostic and Statistical Manual of Mental Disorders, 5th Edition (section 312.31).